



www.Durabold.net




STOREFRONT




Available Configuration


Glass Windows ▼



Glass Door & Glass Windows ▼




FRAMING SYSTEM ▼



- 2" (50.8mm) sightline
- 4-1/2" (114.3mm) depth
- High-thermal performance
- Center glass applications, Structural silicone glazed (SSG) options,
- Pre-glazed options Hurricane resistant
- Anodized Finish: Silver/Black/Dark bronze

GLAZING TYPE ▼



- 1" Glazing (2 x 1/4" with a 1/2" air space)
- Tempered safety glass
- High-thermal performance Low-E coating
- Argon provided in the 1/2" air space
- 1/4" Glazing option (Interior storefronts)
- Spandrel glazing option

DOOR HARDWARE ▼



Handle



Door Closer



Pivots










Locking system

Aluminum, UPVC, or PVC frames are available





www.Durabold.net

Detail Profile Frame

GLASS WINDOWS PROFILE ▼

 STILL	 HP SILL FLASHING	 SILL FILLER CLIP
 TUBULAR HORIZONTAL	 JAMB / SILL	 HORIZONTAL
 SHIM SUPPORT	 POCKET FILLER	 GLASS STOP
	 END DAM	 NP DOOR

GLASS DOOR & GLASS WINDOWS PROFILE ▼

 WEATHERING PACKAGE	 3-1/2" STANDARD WEB TOP DOOR RAIL	 INSIDE GLASS STOP INFILL	 OUTSIDE GLASS STOP INFILL	 STANDARD 6-1/2" BOTTOM DOOR RAIL
 10" BOTTOM DOOR RAIL	 INTERIOR BOTTOM DOOR SWEEP	 THERMAL DOOR THRESHOLD	 S/A DOOR JAMB W/ WEATHERING	
 LOCK/PIVOT DOOR STILE	 ACTIVE STILE	 INACTIVE STILE	 MULLION/JAMB/SILL	



If you have any questions about our products or how to place an order please contact us



4261 Communications Drive
Norcross, GA 30093, USA
Email: durabold@youngcorporation.com
Phone : +1 (323) 722-6868



88 Konrad Crescent #2
Markham, ON L3R 8T7, Canada
Email: durabold@youngcorporation.com



Jl. Sunset Road No.85 X,
Seminyak, Kec. Kuta, Kab. Badung
Bali 80361
Email: sales@homestyle.co.id



Division of YOUNG CORPORATION

www.Durabold.net